

BRANCH OFFICES

NORTH REGION

Chandigarh	Tel.: 0172-5103300
Delhi	Tel.: 011-42554300
Jaipur	Tel.: 0141-2388255/2388240
Lucknow	Tel.: 0522-4938900-30
Noida	Tel.: 0120-4040400/4040419
Haryana	Tel.: 011-42554300

EAST REGION

Bhubaneswar	Tel.: 0674-2390697, 2396980, 2394052
Guwahati	Tel.: 0361-2346497, 2346498, 2346499
Kolkata	Tel.: 033-22622684/86
Patna	Tel.: 0612-2220155, 22231427, 2231978

CENTRAL REGION

Indore	Tel.: 0731-4271439/40
Raipur	Tel.: 0771-2263976, 4060166
Nagpur	Tel.: 0712-2811207

WEST REGION

Ahmedabad	Tel.: 079-27543964/27543967
Mumbai	Tel.: 022-61107800
Pune	Tel.: 020-26302001

SOUTH REGION

Bengaluru	Tel.: 080-42662222
Chennai	Tel.: 044-30662200
Cochin	Tel.: 0484-2391119, 2392039, 2396128
Hyderabad	Tel.: 040-23442932, 23442933
Visakhapatnam	Mob.: 8008709998



LUMINAIRES BUSINESS UNIT, 601, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg,
Off Eastern Express Highway, Sion (E), Mumbai 400 022. Tel: 022 2406 4400
E-mail : luminaires@bajajelectricals.com | www.bajajelectricals.com



.nxt LED LUMINAIRES
PRICE CUM PRODUCT RECKONER

w.e.f. November 2016

Winners of the Global Efficiency
Medal for Super-Efficient
Commercial LED Lighting 2015



SKYLUX | BZRSQL W3 XE NW

This is a time tested LED product from Bajaj family which has been now upgraded with the LED technology in both light emission as well as power electronics. Full light window gives wide spread uniform illumination.

Opal acrylic diffuser is fixed in separate CRCA sheet steel frame and driver is mounted on top for easy maintenance.

'SKYLUX' has constant current output driver with operating range 150-265V AC supply voltages. Housing white powder coated finish. Available in 30W and 36W in recess and surface versions. Also available in 300x1200 mm length in 36W. Separate driver with 85% efficiency and low THD <10%, high power factor >0.95 and 2kV surge protection.

'SKYLUX' is a ready made solution to upgrade from T5/CFL installations into LED in public and government offices, modern retail formats, training institutes and hospitals.

Bajaj Electricals Manufacturing
Facilities at Chakan, Maharashtra



Notes _____



content



02-25

commercial lighting



26-31

industrial lighting




32-43

cityscape lighting

44-47

drivers



48-51

integrated building
management system



52-57

sunsoko solar lighting

Click it!
Customize it!
Illuminate it!

Presenting the revolutionary new app



diya

do it yourself app
for Lighting Design



Bajaj Luminaires



Take control of your lighting with DIYA app.

In today's eternally evolving world, why should you trust an intermediary to brighten your commercial or industrial space? Now with the DIYA app, you can choose the ideal lighting for your world and embellish your world. Just download it, and pick the lighting products that fit your space best. Save time, money and effort, with the ultimate lighting application. Access the DIYA app today, and brighten your world with just a click.

*Shortly Launching on iOS platform.

ABOUT APPS

- Illumination Design based on Real time Mathematical Calculations
- Application available on Android Now
- Lighting Design and Calculation facility available in Apps
- Access available to Project Consultant, Architects and all End users
- Download option is from Google Play Store
- Application, Operating and Control Domain is only from Bajaj Electrical Server

APPS FEATURES

- Indoor (Commercial and Industrial Project) Lighting Design and Calculation
- Upgrade/Retrofit, Energy Saving and Payback Solution
- Luminaire Lay outting and product details
- Result available by PDF, Jpeg and Mail format
- Project Option available in both - Existing and New Project
- Lighting Technical Guide/manual available in apps
- Outdoor (Street Lighting Segment) Lighting Design and Calculation

commercial lighting



downlights



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'DOVEE' series of downlights

'DOVEE PRO' Recess mounted downlight

112122	BZSLO 12W WH PRO	White	12	1530
112123	BZSLO 12W NW PRO	Neutral White	12	1530
112124	BZSLO 15W WH PRO	White	12	1570
112125	BZSLO 15W NW PRO	Neutral White	12	1570
112126	BZSLO 18W WH PRO	White	12	1650
112127	BZSLO 18W NW PRO	Neutral White	12	1650

Professional grade downlight with efficacy of 100 lm/W. Best suitable for high lux level requirements and replacing existing CFL downlights.

'DOVEE' Recess mounted downlight

▶ 111619	BZSLO 12W WH	White	12	1220
111621	BZSLO 12W NW	Neutral White	12	1220
▶ 111610	BZSLO 15W WH	White	12	1250
111612	BZSLO 15W NW	Neutral White	12	1250
▶ 111628	BZSLO 18W WH	White	12	1310
111630	BZSLO 18W NW	Neutral White	12	1310

Dome shaped and square shaped versions available on request.

'DOVEE' Recessed mounted downlight with non-integrated driver

112645	BZSLO 12W WH NI	White	12	1220
112646	BZSLO 12W NW NI	Neutral White	12	1220
112648	BZSLO 15W WH NI	White	12	1250
112649	BZSLO 15W NW NI	Neutral White	12	1250
112651	BZSLO 18W WH NI	White	12	1310
112652	BZSLO 18W NW NI	Neutral White	12	1310

Ideal solution for upgrading and retrofitting application downlight with 'non-integrated' driver for low height area.



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'SLEEK' Series of downlights

'SLEEK RD' Round shaped recess mounted downlight

112533	BGSLO Sleek 3W WH RD	Cool White	40	410
112534	BGSLO Sleek 6W WH RD	Cool White	40	575
112535	BGSLO Sleek 12W WH RD	Cool White	20	875
112537	BGSLO Sleek 18W WH RD	Cool White	20	1225

Ideal solution for low ceiling depth with high aesthetics and color temperature of 6000K.



'SLEEK SQ' Square shaped recess mounted downlight

112539	BGSLO SLEEK 8 WH SQ	Cool White	40	650
112540	BGSLO SLEEK 15 WH SQ	Cool White	20	950

Ideal solution for low ceiling depth with high aesthetics and color temperature of 6000K.



'SLEEK' Round shaped surface mounted downlight

112542	BGSLO Sleek Surface 6W WH RD	Cool White	40	750
112543	BGSLO Sleek Surface 12W WH RD	Cool White	30	1050
112545	BGSLO Sleek Surface 18W WH RD	Cool White	20	1400

Surface mounted round downlight for soft diffused lighting - height only 32mm. Color Temperature 6000K.



'SLEEK' Square shaped surface mounted downlight

112547	BGSLO Sleek Surface 8W WH SQ	Cool White	20	775
112548	BGSLO Sleek Surface 15W WH SQ	Cool White	20	1100

Surface mounted square downlight for soft diffused lighting - height only 32mm. Color Temperature is 6000K.



'RADIANCE' Series of downlights

112671	BPSLR 12W WH	White	12	800
112672	BPSLR 12W WW	Warm White	12	800
112673	BPSLR 12W NW	Neutral White	12	800
112674	BPSLR 15W WH	White	12	850
112675	BPSLR 15W WW	Warm White	12	850
112676	BPSLR 15W NW	Neutral White	12	850
112677	BPSLR 18W WH	White	12	900
112678	BPSLR 18W WW	Warm White	12	900
112679	BPSLR 18W NW	Neutral White	12	900

Next generation downlight with thermoplast engineering technology and great functionality.



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'TARA' Round shaped surface mounted LED luminaire

111644	BGCML 06 01 WH	White	12	1230
▶ 111645	BGCML 12 01 WH	White	8	2100
111646	BGCML 18 095 WH	White	1	2770

Integral high powered LED luminaire with dome shaped opal diffuser.



'DRONE i' High power downlights

112321	BCDLR 32 WH	White	8	2600
112333	BCDLR 32 NW	Neutral White	8	2600
112320	BCDLR 20 WH	white	8	2190
112332	BCDLR 20 NW	Neutral White	8	2190

Low glare recessed fixed downlight in die cast aluminium frame. Anodised aluminium reflector for high efficiency. Excellent solution for double height ceiling.



'KLASS' Series of COB downlights

'KLASS' Recessed mounted adjustable downlight for accent lighting

112372	BRDCSL 6W WH	White	1	1170
112373	BRDCSL 6W NW	Neutral White	1	1170
112374	BRDCSL 6W WW	Warm White	1	1170
112375	BRDCSL 9W WH	White	1	1630
112376	BRDCSL 9W NW	Neutral White	1	1630
112377	BRDCSL 9W WW	Warm White	1	1630
112378	BRDCSL 16W WH	White	1	2250
112379	BRDCSL 16W NW	Neutral White	1	2250
112380	BRDCSL 16W WW	Warm White	1	2250
112381	BRDCSL 30W WH	White	1	4180
112382	BRDCSL 30W NW	Neutral White	1	4180
112383	BRDCSL 30W WW	Warm White	1	4180
112384	BRDCSL 50W WH	White	1	4870
112385	BRDCSL 50W NW	Neutral White	1	4870
112386	BRDCSL 50W WW	Warm White	1	4870

Accent LED light family - 6W to 50W. White powder coated recessed mounted fixture. Pressure die cast aluminum housing with highly efficient reflector.



'KLASS' Recessed mounted adjustable downlight - High Powered

111960	BRDCLR 30W WW	Warm White	1	4140
111961	BRDCLR 30W NW	Neutral White	1	4140
112022	BRDCLR 30W WH	White	1	4140
111880	BRDCLR 50W WW	Warm White	1	4940
111879	BRDCLR 50W NW	Neutral White	1	4940
112019	BRDCLR 50W WH	White	1	4940

New age LED based adjustable downlight with white powder coated aluminium housing.



Product Code	Luminaire Type	Lamp Type	Standard Packaging	RSP ₹
--------------	----------------	-----------	--------------------	-------

‘QUADRA’ Series of COB downlights

‘QUADRA’ Recessed mounted adjustable downlight

112451	BLDRS 24W	24W LED	1	5400
112452	BLDRS 36W	36W LED	1	6300
112453	BLDRS 2x24W	2x24W LED	1	11000
112454	BLDRS 2x36W	3x36W LED	1	12500

New age LED based adjustable downlight available in combination of 2/3/4 downlights in single housing. BLDRS 3x30W LED & BLDRS 4x30W LED available on request.





Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'SKYLUX' Series of troffers

'SKYLUX' Recess mounted 1x1 luminaire

► 111910	BZRSQ 18W WH	White	2	1950
----------	--------------	-------	---	------



'SKYLUX' Surface mounted 1x1 LED luminaire

111912	BZSSQ 18W WH	White	2	2040
--------	--------------	-------	---	------



'SKYLUX' Recess mounted 2x2 luminaire

► 112085	BZRSQ 30W GZ WH	White	2	3400
112086	BZRSQ 30W GZ NW	Neutral White	2	3400
► 111778	BZRSQ 36W GZ WH	White	2	3500
111962	BZRSQ 36W GZ NW	Neutral White	2	3500

White powder coated CRCA housing with LEDs. Seamless front frame with white coloured flat acrylic cover.



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'SKYLUX' Premium recess mounted 2x2 luminaire

112008	BZRSQ L W3 XE WH	White	2	4510
112009	BZRSQ L W3 XE NW	Neutral White	2	4510
111903	BZRSQ L 36W XL WH	White	2	5480
111904	BZRSQ L 36W XL NW	Neutral White	2	5480

White powder coated CRCA housing with LEDs. Seamless front frame with white coloured flat acrylic cover.



'SKYLUX' Recess mounted 2x2 Luminaire

112642	BZRSQ L 36W GZ1 WH	White	2	3400
112643	BZRSQ L 36W GZ1 NW	Neutral White	2	3400
112644	BZRSQ L 36W GZ1 CW	Cool White	2	3400
112668	BZRSQ L 43W GZ1 WH	White	2	4200
112669	BZRSQ L 43W GZ1 NH	Neutral White	2	4200
112670	BZRSQ L 43W GZ1 CW	Cool White	2	4200




'SKYLUX' Surface mounted 2x2 LED luminaire

▶ 111180	BZSSQ L 36W WH	White	1	3630
111181	BZSSQ L 36W NW	Neutral White	1	3630



'SKYLUX' Recessed mounted 4x1 luminaire

112665	BZRSLL 36W GZ1 WH	White	1	3900
112666	BZRSLL 36W GZ1 NW	Neutral White	1	3900
112667	BZRSLL 36W GZ1 CW	Cool White	1	3900



'SKYLUX' Recessed mounted 4x1 luminaire

111870	BZRSLL 36W WH	White	1	4660
111907	BZRSLL 36W NW	Neutral White	1	4660



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
'SKYLUX' Surface mounted 4x1 luminaire				
112087	BZSSL 36W WH	White	1	4660
112088	BZSSL 36W NW	Neutral White	1	4660



'SKYLITE' Series of troffers

'SKYLITE' Mini R recess mounted 1x1 luminaire

▶ 111655	BCTBLR 18W ZT WH	White	2	2940
111656	BCTBLR 18W ZT NW	Neutral White	2	2940

White powder coated luminaire with screwless design and bottom opening to give high aesthetic and ease of servicing.



'SKYLITE' Mini SF surface mounted 1x1 luminaire

111649	BCTBLS 18W ZT WH	White	2	2940
111650	BCTBLS 18W ZT NW	Neutral White	2	2940



'SKYLITE' Recess mounted 2x2 luminaire

▶ 111980	BCTBLR 36W ZTN WH	White	2	4690
111981	BCTBLR 36W ZTN NW	Neutral White	2	4690
▶ 111982	BCTBLR 43W ZTN WH	White	2	5130
111983	BCTBLR 43W ZTN NW	Neutral White	2	5130



'SKYLITE' Surface mounted 2x2 luminaire

▶ 111652	BCTBLS 36W ZT WH	White	2	4690
111901	BCTBLS 43W ZT WH	White	2	5130

White powder coated CRCA housing with LEDs. Seamless front frame with white coloured flat acrylic cover.



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

‘AURALITE’ Recess mounted decorative 2x2 luminaire

539425	BPOARM 43W LED WH	White	1	9500
539426	BPOARM 43W LED NW	Neutral White	1	9500

Designer range of luminaire to create a flare free pattern on the ceiling through the fine shaped luminaire.



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'WAFFLE' Recess mounted low glare 2x2 luminaire

112245	BRWSQ 36W WH	White	2	7000
112246	BRWSQ 36W NW	Neutral White	2	7000

Flexible design luminaire developed in a waffle form to create a glare free effect with VGR <19.



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'GREEN CENTER' Recess mounted direct/indirect 2x2 luminaire

112051	BXTBLR 36W WH	White	2	3090
▶ 112052	BXTBLR 36W NW	Neutral white	2	3090

White powder coated CRCA housing with LEDs. Curvilinear reflector for uniform flow of light around the central lighting core.



'ARMSTORME' Recess mounted low depth LED 2x2 luminaire

112411	BARSQ 24W WH	White	2	4280
112412	BARSQ 24W NW	Neutral White	2	4280
112343	BARSQ 36W WH	White	2	4430
112344	BARSQ 36W NW	Neutral White	2	4430
112413	BARSQ 43W WH	White	2	4480
112414	BARSQ 43W NW	Neutral White	2	4480

White powder coated CRCA housing luminaire. With full window acrylic diffuser giving a complete full glow look in the ceiling.





Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

SUSPENDED LUMINAIRES

LED pendant narrow luminaires - 20W range

112232	BPTXn 20W LED 4F NW	Neutral White	1	4950
112233	BPTXn 20W LED 4F WH	White	1	4950
112234	BPTXn 20W LED 4F WW	Warm White	1	4950
112235	BPTXn 2-20W LED 8F NW	Neutral White	1	9230
112236	BPTXn 2-20W LED 8F WH	White	1	9230
112237	BPTXn 2-20W LED 8F WW	Warm White	1	9230

Standalone suspended sleek luminaire for aesthetically appealing downlight application. Suspension of 1.5 mtr is included (02 nos.)



'CONNECT' Pendant luminaires - 20W range

112214	BPTX 20W LED 4F NW	Neutral White	1	6280
112215	BPTX 20W LED 4F WH	White	1	6280
112216	BPTX 20W LED 4F WW	Warm White	1	6280
112217	BPTX 2-20W LED 8F NW	Neutral White	1	11930
112218	BPTX 2-20W LED 8F WH	White	1	11930
112219	BPTX 2-20W LED 8F WW	Warm White	1	11930

Interconnectable luminaires for aesthetically appealing downlight application. Suspension of 1.5 mtr is included (02 nos.)




Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'CONNECT' Pendant luminaires - 28W range


112226	BPTX 28W LED 4F NW	Neutral White	1	6280
112227	BPTX 28W LED 4F WH	White	1	6280
112228	BPTX 28W LED 4F WW	Warm White	1	6280
112220	BPTX 2-28W LED 8F NW	Neutral White	1	11930
112221	BPTX 2-28W LED 8F WH	White	1	11930
112222	BPTX 2-28W LED 8F WW	Warm White	1	11930

Interconnectable luminaires for aesthetically appealing downlight application. Suspension of 1.5 mtr is included (02 nos.)

**'CONNECT' Pendant luminaires - 40W range**

112229	BPTX 40W LED 4F NW	Neutral White	1	6280
112230	BPTX 40W LED 4F WH	White	1	6280
112231	BPTX 40W LED 4F WW	Warm White	1	6280
112223	BPTX 2-40W LED 8F NW	Neutral White	1	11930
112224	BPTX 2-40W LED 8F WH	White	1	11930
112225	BPTX 2-40W LED 8F WW	Warm White	1	11930

Interconnectable luminaires for aesthetically appealing downlight application. Suspension of 1.5 mtr is included (02 nos.)

**RECESSED LUMINAIRES****Recess narrow luminaires - 20W range**

112232	BRTXn 20W LED 4F NW	Neutral White	1	4950
112233	BRTXn 20W LED 4F WH	White	1	4950
112234	BRTXn 20W LED 4F WW	Warm White	1	4950
112211	BRTXn 2-20W LED 8F NW	Neutral White	1	8200
112212	BRTXn 2-20W LED 8F WH	White	1	8200
112213	BRTXn 2-20W LED 8F WW	Warm White	1	8200

Standalone recessed sleek luminaire for aesthetically appealing downlight application.

**'CONNECT' Recess luminaires - 20W range**

112114	BRTX 20W LED 4F NW	Neutral White	1	4480
112111	BRTX 20W LED 4F WH	White	1	4480
112198	BRTX 20W LED 4F WW	Warm White	1	4480
112199	BRTX 2-20W LED 8F NW	Neutral White	1	8810
112200	BRTX 2-20W LED 8F WH	White	1	8810
112201	BRTX 2-20W LED 8F WW	Warm White	1	8810

Interconnectable luminaires for aesthetically appealing downlight application.

**'CONNECT' Recess luminaires - 28W range**

112115	BRTX 28W LED 4F NW	Neutral White	1	4710
112112	BRTX 28W LED 4F WH	White	1	4710
112208	BRTX 28W LED 4F WW	Warm White	1	4710
112202	BRTX 2-28W LED 8F NW	Neutral White	1	9260
112203	BRTX 2-28W LED 8F WH	White	1	9260
112204	BRTX 2-28W LED 8F WW	Warm White	1	9260

Interconnectable luminaires for aesthetically appealing downlight application.



Note: 4F: 4 Feet, 8F: 8 Feet

Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

'CONNECT' Recess luminaires - 40W range

112116	BRTX 40W LED 4F NW	Neutral White	1	5470
112113	BRTX 40W LED 4F WH	White	1	5470
112209	BRTX 40W LED 4F WW	Warm White	1	5470
112205	BRTX 2-40W LED 8F NW	Neutral White	1	10780
112206	BRTX 2-40W LED 8F WH	White	1	10780
112207	BRTX 2-40W LED 8F WW	Warm White	1	10780

Interconnectable luminaires for aesthetically appealing downlight application.



BATTEN AND TUBE LIGHTS

Baton integrated channel

▶ 112405	BCLSB 05 WH	White	16	360
112406	BCLSB 05 NW	Neutral White	16	360
▶ 112407	BCLSB 10 WH	White	16	460
112408	BCLSB 10 NW	Neutral White	16	460
▶ 112409	BCLSB 18 WH	White	16	600
112410	BCLSB 18 NW	Neutral White	16	600



'Flexitron VIVA' batten (4 Ft)

112189	BLTRU 80W WH VIVA	White	4	5300
111708	BLTRU 40W WH VIVA	White	4	3540
111710	BLTRU 40W NW VIVA	Neutral White	4	3540
112176	BLTRU 20W WH VIVA	White	4	2700
112177	BLTRU 20W NW VIVA	Neutral White	4	2700

LED batten surface with pendant and conduit mounting and High transmissivity diffuser. High lumen output .PF >0.98, THD <10%



Flexitron VIVA i

169846	BLTRU 40W WH VIVA i	White	4	3200
169848	BLTRU 40W NW VIVA i	Neutral White	4	3200

LED batten for surface and pendant mounting.



'T8' Tube light

112480	BLRB 15W CWC	Cool White	10	750
▶ 112432	BLRB 18W CWC	Cool White	10	800
112481	BLRB 21W CWC	Cool White	10	850

LED tube with aluminium Heat sink. 18W NW - Available on Request



Product Code	Luminaire Type	Wattage	Standard Packaging	RSP ₹
--------------	----------------	---------	--------------------	-------

Batten for 'T8' tube light

112181	BLRB-DB 118	Suitable for 1x18W LED	16	500
112182	BLRB-DB 218	Suitable for 2x18W LED	16	550



T5 tube light

112563	BLTB 15W CWC	15W LED	40	680
112564	DRIVER BLTB 15W CWC	-	40	525

Suitable product to upgrade from conventional T5 to LED T5 tube light.





Product Code	Luminaire Type	Wattage	Standard Packaging	RSP ₹
--------------	----------------	---------	--------------------	-------

COB SPOTLIGHTS

'ALPHA' Series of spotlight

'ALPHA' Track mounted spotlight luminaire suitable for 1 Phase track

111606	ALPHA 12W WW	12W LED COB	4	2800
111568	ALPHA 16W WW	16W LED COB	4	4200
112313	ALPHA 30W WW	30W LED COB	4	4800

Low wattage track spots suitable for single track. WW/NW/WH color options available.



1Phase track for 'ALPHA'

				Unit Price
169120	BLTR 1M 1PH	-	20	1800
169167	BLTR 2M 1PH	-	20	3000

Recess mounted directional LED spotlight

111882	BXDR 50 WW	50W LED COB	1	5050
111881	BXDR 50 NW	50W LED COB	1	5050
111894	BXDR 50 WH	50W LED COB	1	5050
112047	BXDR 30 WW	30W LED COB	1	4570
112713	BXDR 30 NW	30W LED COB	1	4570
112048	BXDR 30 WH	30W LED COB	1	4570



Product Code	Luminaire Type	Wattage	Standard Packaging	RSP ₹
--------------	----------------	---------	--------------------	-------

TRUNKING SYSTEM - 5 WIRE

Viva trunking system

112256	BLTRU 40W NW Viva TMV	40W LED	4	2900
112258	BLTRU 40W WH Viva TMV	40W LED	4	2900
112257	BLTRU 40W WW Viva TMV	40W LED	4	2900



Product Code	Luminaire Type	Wattage	Standard Packaging	Unit Price ₹
--------------	----------------	---------	--------------------	--------------

Trunking System

220272	BLTRU 45 MS W/O Suspension 2.4 mtr trunk suitable for Viva	-	4	1750
--------	---	---	---	------



Accessories for Viva trunking system

220263	BFTSS 60 end cap	-	-	30
220264	BFTSS/D 1.5m - Suspension	-	-	275
953381	BFTSS 60-300 (300mm bottom cover)	-	-	115
953377	BFTSS 60-600 (600mm bottom cover)	-	-	230
953378	BFTSS 60 - 900 (900mm bottom cover)	-	-	340
953379	BFTSS 60 -1200 (1200mm bottom cover)	-	-	450


Product Code	Luminaire Type	Wattage	Standard Packaging	RSP ₹
--------------	----------------	---------	--------------------	-------

STRIP LIGHTS AND SIGNAGES

LED Strip - 15W/mtr ; 5 mtr role

112492	75W Professional LED Strip IP65 WH	-	1	1500
112493	75W Professional LED Strip IP65 WW	-	1	1500
112494	75W Professional LED Strip IP65 NW	-	1	1500
112495	75W Professional LED Strip IP20 WH	-	1	1250
112496	75W Professional LED Strip IP20 WW	-	1	1250
112497	75W Professional LED Strip IP20 NW	-	1	1250

Driver to be ordered seperately.



Product Code	Luminaire Type	Colour Temperature	Standard Packaging	RSP ₹
--------------	----------------	--------------------	--------------------	-------

LED Strip - 5W/mtr; 5 mtr role

112498	25W Professional LED Strip IP65 WH	-	1	1225
112499	25W Professional LED Strip IP65 WW	-	1	1225
112500	25W Professional LED Strip IP65 NW	-	1	1225
112501	25W Professional LED Strip IP20 WH	-	1	975
112502	25W Professional LED Strip IP20 WW	-	1	975
112503	25W Professional LED Strip IP20 NW	-	1	975

Driver to be ordered seperately.



LED Driver - For LED Strip

112517	75W LED Strip Driver IP65	-	1	4300
112515	75W LED Strip Driver IP20	-	1	2400
112516	25W LED Strip Driver IP65	-	1	2600
112514	25W LED Strip Driver IP20	-	1	1100



Single sided LED signage with built in battery back-up for 2 hrs.

220208	BESL 03 LED SSD WBB Green	Green	10	6700
220209	BESL 03 LED SSD WBB Red	Red	10	6700



Double sided LED signage with built in battery back-up for 2 hrs.

220210	BESL 03 LED DSD WBB Green	Green	10	8000
220211	BESL 03 LED DSD WBB Red	Red	10	8000





Sensors is required for optimizing the light according to requirements of the people and reduce energy consumption through advancements in technology. Bajaj brings different types of sensors according to type of application like - lux level sensing, presence absence detection, microwave/ultrasonic sensing which would allow you to optimize light while saving energy at the same time.

Product Code	Category Ref	Catagory	RSP ₹
--------------	--------------	----------	-------

112616	GEFL-PB	Flush mounted PIR movement sensor with push button	9800
--------	---------	--	------



112617	GESM	Surface mounted PIR movement sensor	8800
--------	------	-------------------------------------	------



Product Code	Category Ref	Category	RSP ₹
--------------	--------------	----------	-------

112618	EBDSM-PRM	Surface mounted PIR presence/absence detector with lux level sensing	7400
--------	-----------	--	------



112619	EBMINT-PRM	Integrated PIR presence detector	6200
--------	------------	----------------------------------	------



112620	EBDSPIR-PRM 2CH	Compact ceiling mounted PIR presence/absence detector 2-channel	9400
--------	-----------------	---	------



112621	EBDSPIR-PRM	Compact ceiling mounted PIR presence/absence detector with infrared override	6600
--------	-------------	--	------



112622	EBDSPIR-DD	Compact ceiling mounted PIR presence/absence detector with Direct Dim DALI/DSI	9000
--------	------------	--	------



Product Code	Category Ref	Category	RSP ₹
112623	EBDSPIR-AD	Compact ceiling mounted PIR presence /absence detector with 1–10V analogue dimming output	9000
112624	EBMPIR-MB-PRM	Batten mount PIR presence detector with preset 10 min time delay – no lux level sensing (basic 20 bulk packed)	6400
112625	EBDHS-AD	High sensitivity PIR presence/absence detector with 1–10V analogue dimming output	13000
112626	EBDHS-DD	High sensitivity PIR presence/absence detector with Direct Dim DALI/DSI	13000
112627	EBDHS-MB-PRM	Luminaire mount high bay PIR presence detector with lux level sensing, time delay and infrared override	12200



Product Code	Category Ref	Catagory	RSP ₹
112628	EBDHS-PRM	High sensitivity PIR presence/absence detector	12000
112629	MWS6-PRM	Low profile microwave presence/absence detector	14000
112630	MWS6SM-PRM	Surface mounted microwave presence/absence detector with lux level sensing	14200
112631	MWS3A-PRM	Adjustable head ceiling mounted microwave presence/absence detector	15500
112632	ALC-PRM-VFC	Ceiling mounted photocell with volt free contact	7400
112633	UHS 5	Infrared programming commissioning handset	3120



Product Code	Category Ref	Category	RSP ₹
112634	UHS 7	Infrared user handset	3600



112635	UNLCDHS	Professional commissioning LCD programming handset	52000
--------	---------	--	-------



112636	EBMHS-DD-SA-C	High sensitivity MINI PIR presence/absence detector - DALI/DSI	9400
--------	---------------	--	------



112637	EBMHS-AD-SA-C	High sensitivity MINI PIR presence/absence detector 1-10V Dimming	9400
--------	---------------	---	------



112638	EBDHS-AT-DD	Wireless (RF) Digital dimming detector	17600
--------	-------------	--	-------





industrial lighting



Product Code	Luminaire Type	Standard Packaging	RSP ₹
--------------	----------------	--------------------	-------

'COSMO' canopy luminaire

169830	BGPPR 80W LED I	1	12000
169831	BGPPR 100W LED I	1	13500
169849	BGPPRBT (Mounting Bracket)	4	1250

Versatile lighting solution to adjust lighting requirements in multipurpose applications. IP65



'DURANTO' highbay luminaire

169871	BGHB 80W LED	1	11500
169710	BGHB 100W LED	1	15500
169720	BGHB 120W LED	1	17500
169709	BGHB 150W LED	1	18000
169721	BGHB 200W LED	1	23000

'DURANTO' has a fin ventilation technology for better thermal management and its cutting edge LED technology seeks to various industrial applications.



'VERDANT' wellglass luminaire

► On request	BIWICP W3 LED	1	On request
On request	BIWIDP W3 LED	1	On request
► On request	BIWIDP W4 LED	1	On request

Energy efficient, reliable and environment friendly LED based wellglass luminaire. Direct replacement of 70W HPSV wellglass luminaire having potential of saving energy > 65%.



'VERDANT' wellglass luminaire without junction box

On request	BIWICP W3 LED B	1	On request
On request	BIWIDP W4 LED B	1	On request

Energy efficient, reliable and environment friendly LED based wellglass luminaire. Direct replacement of 70W HPSV wellglass luminaire having potential of saving energy > 65%.



'VERDANT NEO' wellglass luminaire

169850	BGWD 27W LED WH	1	4000
169851	BGWD 27W LED NW	1	4000
169852	BGWD 27W LED XE WH	1	4500
169853	BGWD 27W LED XE NW	1	4500
169854	BGWD 27W LED XL WH	1	4700
169855	BGWD 27W LED XL NW	1	4700

Verdant NEO is equipped with new age technology which consumes lesser energy without compromising the lighting levels. Highly durable product that can be used in rugged environment.



Product Code	Luminaire Type	Standard Packaging	RSP ₹
--------------	----------------	--------------------	-------

FORCEBAY

169857	BJHFL 80W LED	1	11000
169858	BJHFL 100W LED	1	12500
169859	BJHFL120W LED	1	13500
169860	BJHFL 150W LED	1	14500

User friendly and reliable solution suitable for multipurpose applications in the industry segment. IP66 protection.



LINEA LED

▶ 169601	BICDP 40W LED	1	3300
----------	---------------	---	------

Innovative and compact structure of this luminaire provides better experience for industrial lighting application. An alternative solution for 2x28W/2x36W fluorescent channel.



LINEA LED PRIME

169602	BICDPE 40W LED	1	4300
--------	----------------	---	------

Reliable, robust and special purpose lighting solution with higher IP protection (IP54) suitable for various applications. Used as a direct replacement of twin fluorescent channel.



LINEA EXCEL

▶ 169683	BIPC 40W LED	1	3400
----------	--------------	---	------

Durable and weather proof lighting solution (IP65) for industrial applications.



WEE PLUS

▶ 112334	BIBWP 10W LED	8	1650
----------	---------------	---	------

An ideal energy efficient solution for upgrading conventional GLS bulkhead luminaire to LED. (IP65)



Product Code	Luminaire Type	Standard Packaging	RSP ₹
--------------	----------------	--------------------	-------

TRENDY

169784	BTHBX 100W LED	1	9500
On Request	BTHBX 120W LED	1	11500

Compact, economical and energy efficient luminaire for replacing 4x54W T5 in shop floor applications. (IP54)



PERK

▶ 169742	BTS 80W WH LED	2	7600
112449	BTS 120W WH LED	2	12000

Compact, economical and energy efficient luminaire for replacing 4x54W T5 in shop floor applications. (IP20)



CLEANROOM LIGHTING

'PRISTINE' recess cleanroom luminaire

539404	BPRF 20W WH SL LED	1x20W LED	1	4500
111171	BPRF 36W WH SL LED	1x36W LED	1	7900
539379	BPRF 45W WH LED	1x45W LED	1	8300
539348	BPRF 60W WH LED	1x60W LED	1	10300
539349	BPRF 80W WH LED	1x80W LED	1	13300
On Request	BPRR 36W WH LED	1x36W LED	1	On Request
On Request	BPRR 45W WH LED	1x45W LED	1	On Request
On Request	BPRR 60W WH LED	1x60W LED	1	On Request
On Request	BPRR 80W WH LED	1x80W LED	1	On Request

Specialized lighting solution suitable for cleanroom areas like labs, F&D areas and pharma.







ITC Limited, Bengaluru



Lucas TVS, Chennai



Mankind Pharma Ltd., Himachal Pradesh



MJ Associates, Bengaluru

cityscape lighting

street lighting

area lighting

landscape lighting





Product Code	Luminaire Type	Standard Packaging	RSP ₹
--------------	----------------	--------------------	-------

'CUB' streetlight

169828	BCLST 15W LED I	8	2050
169829	BCLST 20W LED I	8	2200
▶ 169821	BCLST 25W LED I	8	2400
▶ 169785	BCLST 30W LED	8	3000

LED streetlight made up of pressure die cast housing with prismatic polycarbonate diffuser and individual LEDs with secondary optics and IP65 protection.



'EDGE' streetlight

▶ 169799	BRTFG 45W LED I	1	5500
▶ 169808	BRTFG 60W LED I	1	6800
169698	BRTFG 72W LED I	1	7800
169800	BRTFG 90W LED I	1	9500
169652	BRTFG 100W LED	1	11000
▶ 169553	BRTFG 120 W LED	1	12000
169649	BRTFG 135W LED	1	13000
169695	BRTFG 140W LED	1	13500
169820	BRTFG 150W LED	1	14000
169837	BRTFG 210W LED	1	25000

LED streetlight made up of pressure die cast housing with toughened glass and individual LEDs with secondary optics and IP66 protection.



'EDGE PLUS' LED streetlight

169826	BRLEP 25W LED	1	2400
169797	BRLEP 45W LED I	1	6200

Pressure die cast housing with individual LEDs with modular secondary optics and IP65 protection.



Street Light Management System using RF/GPRS/GSM

To control LED street lighting depending on traffic flow, communicate data between each street light using Radiocraft RF Transceiver Module. The computer based control station from which the entire area can be monitored & controlled using GPRS/GSM wireless communication. To control light on/off, individual dimming, group dimming, and some environment condition by just sending a simple command from the PC / Laptop / Server or your Tablet.

The control system GUI can be designed as per customer requirement.

Interoperable Network :



Features :

- WIRELESS TECHNOLOGY** : Employs latest RF/GPRS/GSM technology
- DIMMING OF LIGHTS** : Can be programmed to dim the street lights at to program and control remote streetlights. late night to reduce energy consumption.
- MONITOR** : Equipped with communication and energy monitoring
- BURNING HOURS** : Can be computed with good certainty and modules to update the Master Control Station (MCS) maintenance/replacement can be planned accordingly.
- CONTROL** : Can be switched on or off based on selected group of light.
- FLEXIBLE FOR EXPANSION** : The system can easily be expanded to any poles, new area or to remote distance.





Product Code	Luminaire Type	Standard Packaging	RSP ₹
--------------	----------------	--------------------	-------

'MAGNUM' floodlights

112716	BJFL 30W LED	2	3000
112717	BJFL 60W LED	1	6000

LED Floodlight Luminaire with high pressure die cast housing and IP65 Protection.



'FORCE' floodlights

169833	BJFL 80W LED	1	11500
169834	BJFL 100W LED	1	13000
169835	BJFL 120W LED	1	14000
169836	BJFL 150W LED	1	15000

LED Floodlight Luminaire with high pressure die cast housing and IP66 Protection.



Product Code	Luminaire Type	Standard Packaging	RSP ₹
--------------	----------------	--------------------	-------

'TURBO' floodlight

▶ 169640	BARFEG 80W LED	1	13000
169657	BARFEG 100W LED	1	17000
▶ 169641	BARFEG 120W LED	1	18500
▶ 169642	BARFEG 160W LED	1	21000
169658	BARFEG 180W LED	1	26000
▶ 169783	BARFEG 200W LED	1	28000
169819	BARFEG 240W LED	1	36000
169839	BARFEG 350W LED	1	46000

LED Floodlight luminaire with secondary optics made in pressure die cast housing and heat sink in aluminium extrusion and IP66 Protection.



LED aviation light luminaires

110731	BGAV 302 LED	4	4400
--------	--------------	---	------

Integral LED aviation light comprising of aluminium housing with polycarbonate enclosure.





Product Code	Luminaire Type	Lamp Type	Standard Packing	Colour Temperature	RSP ₹
--------------	----------------	-----------	------------------	--------------------	-------

LED BOLLARDS

FLUTE

111282	BGBOL 605 9W LED	9W LED	1	Warm White	4570
--------	------------------	--------	---	------------	------

Cylindrical shaped Integral decorative LED bollard with opal acrylic diffuser and IP65 protection.



TULIP

111284	BGBOM 650 9W LED	9W LED	1	Warm White	4760
--------	------------------	--------	---	------------	------

LED Bollard Integral decorative LED bollard with opal acrylic and IP65 Protection.



TETRIS

▶ 111771	BGBOS 600 9W LED	9W LED	1	Warm White	5790
----------	------------------	--------	---	------------	------

Square shaped Integral decorative LED bollard with polycarbonate diffuser and IP65 protection.



Product Code	Luminaire Type	Lamp Type	Standard Packing	Colour Temperature	RSP ₹
--------------	----------------	-----------	------------------	--------------------	-------

MUSHROOMZ

111740	BLBMC 9W WW LED	9W LED	1	Warm White	4580
--------	-----------------	--------	---	------------	------

Mushroom shaped integral LED decorative bollard with IP65 protection.

**LED POST TOPS****FLORENCE**

112362	BGCP 45W LED WW	45W LED	1	Warm White	13960
--------	-----------------	---------	---	------------	-------

LED post of with high aesthetics and premium looks. Provided with die cast aluminum housing and polycarbonate opal diffuser and IP protection.

**TEARDROP**

112680	BNRRL 65W LED	65W	1	White	16000
--------	---------------	-----	---	-------	-------

LED post top with spun aluminum housing for Lamp and reflector assembly with clear polycarbonate cover and IP65 protection.

**COSMOS**

111536	BGCS 40W LED LED WH	40W LED	1	White	9130
111537	BGCS 70W LED WH	70W LED	1	White	11910

LED post top made in cast aluminium spigot housing with decorative opal polycarbonate diffuser and IP65 protection.

**CELESTA**

▶ 111538	BGCL 40W LED WH	40W LED	1	White	9550
▶ 111539	BGCL 70W LED WH	70W LED	1	White	12320

LED post top made in cast aluminium spigot housing with decorative opal polycarbonate diffuser and IP65 protection.



Product Code	Luminaire Type	Lamp Type	Standard Packing	Colour Temperature	RSP ₹
--------------	----------------	-----------	------------------	--------------------	-------

ARIAN

112364 BGCT W4 LED WW 40W LED 1 Warm White 8110
LED post top made in cast aluminium spigot housing with decorative clear opal acrylic diffuser and IP65 Protection.



TENCO

► 111713 BRIL 45W LED NW 45W LED 1 Neutral White 12830
LED post with die cast aluminium body and with clear toughened glass diffuser and IP65 protection.



GLOBE

111741 BLPTSP 25W NW LED 25W LED 1 Neutral White 4780
Integral pole mounted decorative LED post top with spherical shaded polycarbonate diffuser and IP65 protection.



BUSH AND SPIKE LIGHTING

SPYKZ

112146 BGSBL 9W LED WW 9W LED 4 Warm White 3500
LED Step Light with Die Cast Aluminum Housing with Warm white COB LED Reflector and IP65 protection.



STEP LIGHT

RAZOR

► 111711 BLSGV 4W LED WH 4W LED 6 White 2000
LED Step light in white powder coated cast aluminium body with IP54 protection.



Product Code	Luminaire Type	Lamp Type	Standard Packing	Colour Temperature	RSP ₹
VERTICO					
112468	BLWUP 9W LED WW	9W LED	1	Warm White	on request




Product Code	Luminaire Type	Unit ₹
LED POLE		
112308	BGIP 20W LED	20000
Black painted Gi Pole with perforations on the top with 20W LED intergrated for lighting.		









South Central Railway, Hyderabad



Jaipur Development Authority, Jaipur



Reliance Infrastructure Ltd., Mumbai



Tumkur Municipal Corporation, Bengaluru

Driver Code	Driver Cat. Ref.	Unit Price ₹	Compatible Product Code	Compatible Product Description
112707	BGD 40 020	500	112375	BRDCSL 9W WH
112707	BGD 40 020	500	112376	BRDCSL 9W NW
112707	BGD 40 020	500	112377	BRDCSL 9W WW
112700	BGD 36 015	650	112261	BZSLH 6W NW
			112276	BZSLH 6W SQ NW
			112275	BZSLH 6W SQ WH
			112277	BZSLH 6W SQ WW
			112260	BZSLH 6W WH
			112262	BZSLH 6W WW
			112278	BZSLH 12W SQ WH
			112264	BZSLH 12W NW
			112279	BZSLH 12W SQ NW
			112280	BZSLH 12W SQ WW
			112263	BZSLH 12W WH
			112265	BZSLH 12W WW
			111624	BZSLOD LED 12W NW
			111622	BZSLOD LED 12W WH
			111623	BZSLOD LED 12W WW
112684	BGD 36 035	650	111621	BZSLO LED 12W NW
			111619	BZSLO LED 12W WH
			111620	BZSLO LED 12W WW
			111627	BZSLO SQ LED 12W NW
			111625	BZSLO SQ LED 12W WH
			111626	BZSLO SQ LED 12W WW
			111767	BZSLOS 12W NW
			111765	BZSLOS 12W WH
			111766	BZSLOS 12W WW
			112267	BZSLH 15W NW
			112282	BZSLH 15W SQ NW
			112281	BZSLH 15W SQ WH
			112283	BZSLH 15W SQ WW
			112266	BZSLH 15W WH
			112268	BZSLH 15W WW
112685	BGD 40 035	650	111615	BZSLOD 15W NW
			111613	BZSLOD 15W WH
			111614	BZSLOD 15W WW
			111612	BZSLO 15W NW
			111610	BZSLO 15W WH
			111611	BZSLO 15W WW
			111618	BZSLO SQ 15W NW
			111616	BZSLO SQ 15W WH
			111617	BZSLO SQ 15E WW
			111734	BZSLOS 15W NW
			111732	BZSLOS 15W WH
			111733	BZSLOS 15W WW
			112270	BZSLH 18W NW
			112285	BZSLH 18W SQ NW
112686	BGD 50 035	650		

Driver Code	Driver Cat. Ref.	Unit Price ₹	Compatible Product Code	Compatible Product Description
112686	BGD 50 035	650	112284	BZSLH 18W SQ WH
			112286	BZSLH 18W SQ WW
			112269	BZSLH 18W WH
			112271	BZSLH 18W WW
			111633	BZSLOD 18W NW
			111631	BZSLOD 18W WH
			111632	BZSLOD 18W WW
			111630	BZSLO 18W NW
			111628	BZSLO 18W WH
			111629	BZSLO 18W WW
			111636	BZSLO SQ 18W NW
			111634	BZSLO SQ 18W WH
			111635	BZSLO SQ 18W WW
			111770	BZSLOS 18W NW
			111768	BZSLOS 18W WH
			111769	BZSLOS 18W WW
112701	BGDZ 45 080	1040	111700	BZSLO 24W SQ WH
112699	BGD 40 058	1040	112273	BZSLH 24W NW
			112288	BZSLH 24W SQ NW
			112287	BZSLH 24W SQ WH
			112289	BZSLH 24W SQ WW
			112272	BZSLH 24W WH
112342	BGDZ 40 320	650	112274	BZSLH 24W WW
			111213	BGCML 12W NW
			111645	BGCML 12W WH
112341	BGDZ 54 320	650	110948	BGCML 12W WW
			111210	BGCML 18 095 WH (17W)
			111294	BGCML 18 095 NW (17W)
112691	BGD 36 05 01	980	111295	BGCML 18 095 WW (17W)
			111910	BZRSQL 18W WH
			111912	BZSSQL 18W WH
			111910	BZRSQL 18W WH
112694	BGD 36 075 HP	980	111912	BZSSQL 18W WH
			111775	BZRSQL 30W GIII R (75MM)
			111746	BLRI 30W WH LED
			111775	BZRSQL 30W GIII R (75MM)
111603	BGD 36 100 HP	1010	111746	BLRI 30W WH LED
			111171	BPRF 36W WH SL
			112070	BDTBLR W3 WH
			111549	BXTBLR 36W WH
			112051	BXTBLR 36W WH
			111903	BZRSQL 36W XL WH
			111729	BZSSQL 36W WH (55MM)
			111171	BPRF 36W WH SL
			112070	BDTBLR W3 WH
			111549	BXTBLR 36W WH
			112051	BXTBLR 36W WH

Driver Code	Driver Cat. Ref.	Unit Price ₹	Compatible Product Code	Compatible Product Description
111603	BGD 36 100 HP	1010	111903	BZRSQ 36W XL WH
			111729	BZSSQ 36W WH (55MM)
			169742	BTS 80W LED WH
			111552	BZRSQ 36W GIII
112690	BGD 36 10 0I	1010	112087	BZSSL 36W WH
			111778	BZRSQ 36W GZ
			111784	BZRSQ 36W GIII WH J
			111777	BZRSQ 36W GIII NW
			112071	BDTBLR W3 NW
			111908	BZSSL 36W WH XL
			111897	BTTI 36W LED WH
			111552	BZRSQ 36W GIII WH
			112087	BZSSL 36W WH
			111778	BZRSQ 36W GZ
			111784	BZRSQ 36W GIII WH J
			111777	BZRSQ 36W GIII NW
			112071	BDTBLR W3 NW
			111908	BZSSL 36W WH XL
			111897	BTTI 36W WH
			111552	BZRSQ 36W GIII WH
112702	BGDZ 40 080	1040	112245	BRWSQ 36W WH
			112246	BRWSQ 36W NW
112698	BGD 45 085	1040	111710	BLTRU 40W NW VIVA
			111708	BLTRU 40W WH VIVA
			111709	BLTRU 40W WW VIVA
112706	BGD 66 140 5Y	3720	188605	BGHB 100W LED
112117	BGD 66 210 5Y	3780	188615	BGHB 150W LED
112314	BGD 44 180 5Y	3950	111747	BGPPN 80W LED
112073	BRLED 25	3780	111742	BLWSP 25W WH LED
			111741	BLPTSP 25W WH LED
110915	BGD 36 070 5Y	1160	169320	BSLST 10 LED 25W
			168965	BSLST 20 LED
112137	BGD 36 140 5Y	1190	169176	BSLST 30 LED 45W
			168966	BSLST 40 LED
112138	BGD 36 280 5Y	3680	169288	BSLST 60 LED 90W
112592	BGD 36 195 5Y	2510	169598	BRTFG 30 LED 65W
112179	BGD 36 240 5Y	2880	169557	BRTFG 44 LED 90W
112593	BGD 40 240 5Y	2950	169652	BRTFG 48 LED 100W
112055	BGD 40 295 5Y	3130	169553	BRTFG 60 LED 120W
112562	BGD 38 360 5Y	3780	169649	BRTFG 66 LED 135W
112455	BGD 55 065 5Y	1640	169699	BRTFG 16 LED 30W I
112520	BGD 70 065 5Y	1830	169681	BRTFG 21 LED 45W I
112591	BGD 36 185 5Y	2510	169680	BRTFG 30 LED 60W I
112552	BGD 38 150 5Y	2080	169808	BRTFG 60W LED I

Driver Code	Driver Cat. Ref.	Unit Price ₹	Compatible Product Code	Compatible Product Description
112136	BGD 36 210 5Y	2510	169191	BSLST 40 LED 72W
			169698	BRTFG 30 LED 72W I
			111740	BLBMC 9W WW LED
			111286	BGBOS 405 9W LED
			111284	BGBOM 650 9W LED
112703	BGD 21 040	590	111282	BGBOL 605 9W LED
			111279	BGBOM 450 9W LED
			112146	BGSBL 9W LED
			111538	BGCL 40W LED
110916	BGD 36 100 5Y	1530	111536	BGCS 40W LED
			169394	BSLST 20 LED 30W
			169091	BSLST 30 LED 30W
			111539	BGCL 70W LED
112705	BGD 36 180 5Y	2530	111537	BGCS 70W LED
			169235	BSLST 40 LED 65W
			169177	BSLST 60 LED
112704	BGD 39 115	4000	111713	BRIL 45W LED NW
112507	BJSPD 10	470	-	External Surge protection 10kV

General notes for all sections

- Retail Selling Price (RSP): RSP indicates Retail Selling Price. Product can't be sold above RSP. Taxes and local levies as applicable is inclusive. Prices are inclusive of excise duty as per prevailing rate at the time of supply.
- Unit Price: Is the list price of a product. Dealers may sell at prices lower than the list price. Prices are exclusive of VAT, Octroi and other Govt. levy which shall be charged extra as applicable.
- Prices are in Indian Rupees.
- Prices of all LED luminaires in this price list are for standard luminaire.
- All the prices are subject to change without any prior notice.
- ► Denotes MTA (Made to Available) item readily availability at Central Ware House.
- All product and installation images are indicative.
- Due to continuous efforts in developing products, improvement - Bajaj Electricals Limited reserves the right to make change in the design and data and withdraw the luminaires without any prior notice.
- This price list supersedes all earlier prices and are excluding lamps/tubes.
- Disputes if any will be subjects to Mumbai jurisdiction.
- Abbreviations:
WW - Warm White (3000K $\pm$ 300K)
NW - Neutral White (4000K $\pm$ 300K)
WH - White (5700K $\pm$ 300K)
CW - Cool White (6000K $\pm$ 300K)
COB - Chip on Board

integrated building management system



Product Code	Camera Type	Standard Packaging	Unit Price ₹
--------------	-------------	--------------------	--------------

ANALOG CCTV RANGE

Infrared dome camera

600773	Digital image sensor 1100 TVL high resolution 0.01 lux min illumination, 0 lux (IR on) 3.6 mm fixed lens IR range of 20 Mtr. with 24 LEDs AGC, AWB, BLC CE, FCC and RoHS certified	4	5800
--------	--	---	------



Weather proof infrared bullet camera

600772	Digital image sensor 1100 TVL high resolution 0.01 lux min illumination, 0 lux (IR on) 3.6 mm fixed lens IR range of 20 Mtr. with 24 LEDs IP65, AGC, AWB, BLC CE, FCC and RoHS certified	4	6600
--------	--	---	------



Digital video recorder

600142	16 channel, free DDNS, CIF recording hard-disk and display not included 8 channel, free DDNS, CIF recording	1	21500
600390	Hard-disk And Display Not Included 4 channel, free DDNS, D1 recording	1	13200
600698	hard-disk and display not included	1	10700



Product Code	Camera Type	Standard Packaging	Unit Price ₹
--------------	-------------	--------------------	--------------

ANALOG CCTV RANGE (Powered by)

Infrared dome camera

600778	2 megapixel CMOS sensor 15 fps @ 1920x1080; 30 fps @ 1280x720 Real-time H.264, MJPEG compression (dual codec) Built-in IEEE 802.3af Compliant PoE Built-in MicroSD/SDHC/SDXC card slot for on-board Storage Ultra-mini size design Easy installation	4	39300
--------	--	---	-------



2MP full HD ultra mini IP network camera

600778	2 megapixel CMOS sensor 15 fps @ 1920x1080; 30 fps @ 1280x720 Real-time H.264, MJPEG compression (dual codec) Built-in IEEE 802.3af Compliant PoE Built-in MicroSD/SDHC/SDXC card slot for on-board Storage Ultra-mini size design Easy installation	4	39300
--------	--	---	-------



8-CH 2-bay HDD auto setup auto adaptive stream hardware decoding standalone desktop

600775	8-CH live viewing 1-CH local playback, 4-CH remote Synchronous playback Embedded linux OS Easy to install HDD design 1080P HDMI local video output Plug & play auto setup Auto adaptive stream for efficient display Support fisheye dewarp (1O, 1P, 1R, 1O3R) Support local rewind VIVOTEK camera configuration integrated Hard disk and display not included	1	77600
--------	---	---	-------



IP CCTV combo offer

600774	2 ultra mini bullet 2 ultra mini dome 1 No. 4 port POE switch 1 No. 8 channel NVR Hard disk and display not included	1	215600
--------	--	---	--------





Knexir Consultants Pvt. Ltd., Mumbai



Pithavadian & Partners, Chennai



sunsoko solar lighting



Product Code	Power (W)	Capacity Panel (Wp)	Battery (Ah)	Autonomy (Days)	Unit Price ₹
--------------	-----------	---------------------	--------------	-----------------	--------------



SOLAR ALL-IN-ONE STREET LIGHTING

Smart Integrated Solar Streetlight with built in Mono Crystalline Panel, Lithium Ion Battery (LiFePO4), MPPT Charge Controller and PIR Sensor with Colour temp. 6000-6500K

112567	12W with hybrid switch	20Wp	9Ah	3 Days	60000
112568	12W without hybrid switch	20Wp	9Ah	3 Days	45000
112569	15W with hybrid switch	30Wp	10Ah	3 Days	67500
112570	15W without hybrid switch	30Wp	10Ah	3 Days	52500
112571	18W with hybrid switch	35Wp	15Ah	3 Days	75000
112572	18W without hybrid switch	35Wp	15Ah	3 Days	60000
112573	20W with hybrid switch	40Wp	21Ah	3 Days	82000
112574	20W without hybrid switch	40Wp	21Ah	3 Days	67000
112575	25W with hybrid switch	45Wp	21Ah	3 Days	90000
112576	25W without hybrid switch	45Wp	21Ah	3 Days	76000
112577	30W with hybrid switch	60Wp	24Ah	3 Days	94500
112578	30W without hybrid switch	60Wp	24Ah	3 Days	80000
112579	40W with hybrid switch	60Wp	27Ah	3 Days	110000
112580	40W without hybrid switch	60Wp	27Ah	3 Days	95000
112581	50W with hybrid switch	80Wp	36Ah	3 Days	143000
112582	50W without hybrid switch	80Wp	36Ah	3 Days	128000
112583	60W with hybrid switch	90Wp	42Ah	3 Days	155000
112584	60W without hybrid switch	90Wp	42Ah	3 Days	140000

Note: Prices given are exclusive of poles and to be ordered separately



Product Code	Part Name	Autonomy	Unit Price ₹
--------------	-----------	----------	--------------

SOLAR SEMI HIGH MAST

SolarZ+ 204	20Wx4 Nos. LED solar streetlight system with 7m octagonal pole	2 Days	500000
SolarZ+ 304	30Wx4 Nos. LED solar streetlight system with 9m octagonal pole	2 Days	600000



Product Description	Autonomy	Unit Price ₹
---------------------	----------	--------------

SOLAR LED STREET LIGHTING

FALCON 9W/12W/15W/21W/24W/30W

9W LED solar streetlight system	3 Days	63000
12W LED solar streetlight system	3 Days	72000
12W LED solar streetlight system	2 Days	67000
15W LED solar streetlight system	3 Days	77000
15W LED solar streetlight system	2 Days	74000
21W LED solar streetlight system	3 Days	91000
21W LED solar streetlight system	2 Days	82000
24W LED solar streetlight system	3 Days	100000
24W LED solar streetlight system	2 Days	94000
30W LED solar streetlight system	3 Days	115000
30W LED solar streetlight system	2 Days	105000

Note: Solar streetlight system for above products range consists of LED fitting, PV panel, battery with battery box and GI Tubular Pole.

FALCON PLUS 43W/60W

43W LED solar streetlight system	3 Days	162000
43W LED solar streetlight system	2 Days	130000
60W LED solar streetlight system	3 Days	220000
60W LED solar streetlight system	2 Days	195000

Note: Solar streetlight system for above products range consists of LED fitting, PV panel, battery with battery box and GI Tubular Pole.

CORONA 9W

9W LED solar streetlight system	3 Days	59000
---------------------------------	--------	-------

Note: Solar streetlight system for above products range consists of LED fitting, PV panel, battery with battery box and GI Tubular Pole.

CUB 12/15/20/25W

12W LED solar streetlight system	3 Days	80000
15W LED solar streetlight system	3 Days	83000
20W LED solar streetlight system	3 Days	88000
25W LED solar streetlight system	3 Days	93000

Note: Solar streetlight system for above products range consists of LED fitting, PV panel, battery with battery box and GI Tubular Pole.



Product Description	Autonomy	Unit Price ₹
---------------------	----------	--------------

SOLAR HOME LIGHTING

Sunsoko IS 13775 - U 10-12 Hours 7000

Mini Solar System, FM Radio, LED Display, USB/TF Slot, USB, USB Jack to Recharge Electronic Product, LED Bulb Jack, 3W Solar Panel, 4V/8 AH Rechargeable Lead Acid Battery, 2 Pieces of 3W LED Bulb.



Sunsoko IS 13885 - U 10-12 Hours 7000

Mini Solar System, FM Radio, LED Display, USB/TF Slot, USB Jack to Recharge Electronic Products, LED Bulb, 3W Solar Panel, 4V/8 AH Rechargeable Lead Acid Battery, 2 Pieces of 3W LED Bulb with 2W Search Light and LED Lamp.



Sunsoko Lanterns 12-14 Hours 8000

ABS+PC, 3W 6V Poly Solar Panel, Rechargeable Lithium 3.7V/4.4 AH battery, 2.5W LED inside the Lamp and 1.5W LED on the Bottom, Micro USB Port be Charged by Solar, USB Port for Cell Phone Charging.



Product Description	Quantity Per Set	Unit Price ₹
---------------------	------------------	--------------

SOLAR POWER PACK

1 KVA system with 4 hours autonomy

Solar PV panel - 250Wp	4	430000
Power conditioning unit - 1 KVA	1	
Solar low maintenance battery 12V - 200 AH	2	
Connecting accessories set	1	



500 VA system with 4 hours autonomy

Solar PV Panel - 250Wp	2	260000
Power conditioning unit - 600 VA	1	
Solar low maintenance battery 12V - 120 AH	2	
Connecting accessories set	1	



Note: Sunsoko portfolio also consists of centralised solar street lighting system, solar hoarding, solar roof top system, solar water pumping system, solar panel and solar power conditioning unit.





Child Fund, Bengaluru



JCB, Haryana



NTPC, Vidyanagar



Sri Skanda Cosnultancy, Bengaluru

Notes